



### FEATURES/BENEFITS

#### DIGITAL TEMPERATURE CONTROL SYSTEM

Provides precise and constant temperature. This level of precision allows food products to remain fresh over an extended period of time.

#### HIGH-TECH MONITOR

The monitor digitally displays the present temperature and current status of the freezer. You can easily change the temperature by adjusting the thermostat.

#### EFFICIENT REFRIGERATION SYSTEM

Royal Refrigeration's glass door freezers are designed with oversized and balanced (CFC Free R-404A) refrigeration systems. These include efficient evaporators and condensers for faster cooling and greater efficiency.

#### AUTOMATIC EVAPORATOR FAN MOTOR DELAYS

Through stopping the evaporator fan when the freezer door opens, the circulation of hot, moist air into the freezer is prevented. This increases energy efficiency and lengthens the life of the compressor.

#### ADJUSTABLE, HEAVY DUTY, PE (POLYETHYLENE) COATED WIRE SHELVES

#### HIGH-DENSITY POLYURETHANE INSULATION

The entire cabinet structure is foamed-in-place using high density, CFC free polyurethane insulation.

#### ERGONOMICALLY DESIGNED DOORS

Customers' fatigue fades away with easy grip handles and doors that open effortlessly. Self-closing features make this the ultimate choice in customer convenience.

#### DOUBLE PANE GLASS DOORS WITH HEAT REFLECTING FILM

Equipped with unique double pane glass doors with a layer of patented, transparent thermal insulating film applied between the two glass layers. Light weight door construction reduces door maintenance.

#### MAGNETIC DOOR GASKETS

Magnetic door gaskets are of one piece construction, removable without tools for ease of cleaning and replacement.

#### BOTTOM MOUNT COMPRESSOR UNITS

Royal Refrigeration's bottom mount compressor allows easier access for service and extra storage space above. In addition, the lower area provides a cooler and less greasy operating environment which results in reduced compressor running time.

#### FREEZER HOLDS -20°C ~ -17°C FOR THE BEST IN FROZEN FOOD PRESERVATION

Model	Swing Door	Volume, L	# of shelves	Power, W	AMPS	Crated weight, kg	L x D* x H, mm
MCF8710	1	610	4	650	2.6A	130	685 x 800 x 2062

\* Depth does not include 2,5 cm for rear spacers.



# GLASS DOOR FREEZER

## MCF8710

### ELECTRICAL DATA

Voltage	220/50/1
Plug Type	CEE 7/7
Full Load Amperes	2.6A
Compressor Power, W	650
Feed Wires with Ground	3
Cord Length, cm	185
Refrigerant	R-404A

### DIMENSIONAL DATA

# of Doors	1
# of Racks Accepted	1
Net Capacity, L	610
Ext. Length Overall	685 mm
Ext. Depth Overall	800 mm
Ext. Height Overall *	1991 mm
Int. Length Overall	565 mm
Int. Depth Overall	640 mm
Int. Height Overall	1525 mm
Gross Weight, kg	130
# of Shelves	4
Shelf Size (LxD), mm	553 x 635


Design and specifications subject to change without notice. Actual shipping weight may differ due to extra packing materials for product protection.  
 \* Height does not include height of casters or optional legs.

**WARRANTY:**  
 1 Year Parts and Labor Warranty


- Door Locks
- Self-Contained System
- 7cm Swivel Casters
- Solid and Sturdy Grille Design
- Tray Rack Available (optional)

**OPTIONAL ACCESSORIES:**  
 10 cm standard legs  
 Additional stainless steel shelves  
 Additional PE coated wire shelves

### PLAN VIEW



### PLAN VIEW



### SIDE VIEW